



Ref. Certif. No.

DK-51541-A1-ULIEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**Product
Produit

AC/DC Adaptor

Name and address of the applicant
Nom et adresse du demandeurBRIDGEPOWER CORP
(Gosaek-dong) 16 Omokchen-ro 132beon-gil
Gwonseon-gu
Suwon-si, 441-813 Gyeonggi KoreaName and address of the manufacturer
Nom et adresse du fabricantSL POWER ELECTRONICS CORP
BLDG A
6050 KING DR
VENTURA, CA 93003 USAName and address of the factory
Nom et adresse de l'usineBRIDGEPOWER CORP
(Gosaek-dong) 16 Omokchen-ro 132beon-gil
Gwonseon-gu
Suwon-si, 441-813 Gyeonggi KoreaNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{eme} page Additional Information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesRated Input: 100-240 Vac, 50-60Hz, 1.3A (1.3A - 0.5A)
Rated Output: 12Vdc, 7.5A or 15Vdc, 6.0A or 18Vdc, 5.0A or
24Vdc, 3.3A or 24Vdc, 3.75A or 48Vdc, 1.87A or 12Vdc/7.5A -
48Vdc/1.87ATrademark (if any)
Marque de fabrique (si elle existe)
Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

SL POWER ELECTRONICS

CTF Stage 1

Model / Type Ref.
Ref. De type(1)E90(2)(3)(4)(5)(6), B(1)090(2)(3)(4)
See Page 2Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{eme} pageAdditionally evaluated to EN 60601-1: 2006 / A1: 2013 / A12:
2014; Additional Information on page 2A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à laIEC 60601-1(ed.3), IEC 60601-1(ed.3);am1, IEC
60601-1-6(ed.3), IEC 60601-1-6(ed.3);am1, IEC 62366(ed.1),
IEC 62366(ed.1);am1As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E302267-D1021-1/A1/C1-CB issued on 2017-02-16

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2017-02-21
Original Issue Date: 2016-01-27

Signature:

For full legal entity names see www.ul.com/ncbnames

Jan-Erik Storgaard



Ref. Certif. No.

DK-51541-A1-UL

Model Details:

B(1)090(2)(3)(4) is basic model.

(1)E90(2)(3)(4)(5)(6) is identical to B(1)090(2)(3)(4), except model designation.

The below information is nomenclature detail for B(1)090(2)(3)(4)

- (1) Family Related Designs: X is A-Z
- (2) Output : X is S (S=Single)
- (3) Output Voltage : 12, 15, 18, 24, 48 or may any number 05 through 48
- (4) Standard Input Cord Options F : (Class I = IEC320-C14),

The below information is nomenclature detail for (1)E90(2)(3)(4)(5)(6)

- (1) Family Related Designs: X is A-Z
- (2) AC Ground Configuration : A to Z (Standard)
- (3) Output Voltage : 12, 15, 18, 24, 48 or may any number 05 through 48
- (4) Standards Output Cord Options Number : 00 thru 99
- (5) Standard Input Connector Options F : (Class I = IEC320-C14)
- (6) Model Configuration Number : 00 thru 99

Factories:

BRIDGEPOWER VINA Company Limited
Lot B9 Thuy Van Industrial Zone
Viet Tri, Phu Tho Viet Nam

WENDENG JEIL ELECTRONICS CO LTD
Xiamen Road NO.2 Wendeng Economic Development Zone
Weihai City, Shandong Province China

Additional Information:

The original report was modified to include the following changes/additions:

- Addition of Factory
- Addition of output rating
- Changing of Schematic diagram and pattern diagram
- Addition and changing of critical components

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-02-21

Original Issue Date: 2016-01-27

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-61571-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

AC/DC Adaptor

Name and address of the applicant
Nom et adresse du demandeurBRIDGEPOWER CORP
(Gosaek-dong) 16 Omokchen-ro 132beon-gil
Gwonseon-gu
Suwon-si, 441-813 Gyeonggi KoreaName and address of the manufacturer
Nom et adresse du fabricantSL POWER ELECTRONICS CORP
BLDG A
6050 KING DR
VENTURA, CA 93003 USAName and address of the factory
Nom et adresse de l'usineBRIDGEPOWER CORP
(Gosaek-dong) 16 Omokchen-ro 132beon-gil
Gwonseon-gu
Suwon-si, 441-813 Gyeonggi KoreaNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{eme} page Additional Information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesRated Input: 100-240 Vac, 50-60Hz, 1.3A (1.3A - 0.5A)
Rated Output: 12Vdc, 7.5A or 15Vdc, 6.0A or 18Vdc, 5.0A or
24Vdc, 3.3A or 24Vdc, 3.75A or 48Vdc, 1.87A or 12Vdc/7.5A -
48Vdc/1.87ATrademark (if any)
Marque de fabrique (si elle existe)
Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

SL POWER ELECTRONICS

CTF Stage 1

Model / Type Ref.
Ref. De type(1)E90(2)(3)(4)(5)(6), B(1)090(2)(3)(4)
See Page 2Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{eme} pageAdditionally evaluated to EN 60601-1: 2006 / A1: 2013 / A12:
2014; Additional Information on page 2A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à laIEC 60601-1(ed.3), IEC 60601-1(ed.3);am1, IEC
60601-1-6(ed.3), IEC 60601-1-6(ed.3);am1, IEC 62366(ed.1),
IEC 62366(ed.1);am1As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E302267-D1021-1/A1/C1-CB issued on 2017-02-16

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2017-02-21

Signature:

Jan-Erik Storgaard

For full legal entity names see www.ul.com/ncbnames



Ref. Certif. No.

DK-61571-UL

Model Details:

B(1)090(2)(3)(4) is basic model.

(1)E90(2)(3)(4)(5)(6) is identical to B(1)090(2)(3)(4), except model designation.

The below information is nomenclature detail for B(1)090(2)(3)(4)

(1) Family Related Designs: X is A-Z

(2) Output : X is S (S=Single)

(3) Output Voltage : 12, 15, 18, 24, 48 or may any number 05 through 48

(4) Standard Input Cord Options Q : (Class II = IEC320-C18) N : (Class II = IEC320-C8),

The below information is nomenclature detail for (1)E90(2)(3)(4)(5)(6)

(1) Family Related Designs: X is A-Z

(2) AC Ground Configuration : A to Z (Standard)

(3) Output Voltage : 12, 15, 18, 24, 48 or may any number 05 through 48

(4) Standards Output Cord Options Number : 00 thru 99

(5) Standard Input Connector Options Q : (Class II = IEC320-C18) N : (Class II = IEC320-C8)

(6) Model Configuration Number : 00 thru 99

Factories:

BRIDGEPOWER VINA Company Limited

Lot B9 Thuy Van Industrial Zone

Viet Tri, Phu Tho Viet Nam

WENDENG JEIL ELECTRONICS CO LTD

Xiamen Road NO.2 Wendeng Economic Development Zone

Weihai City, Shandong Province China

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2017-02-21

Signature:

Jan-Erik Storgaard