

EU REACH Disclosure:

209 Substances of Very High Concern Considered



Excelsys CoolX Series CoolX600, CoolX1000, CoolX1800 AC/DC Power Supplies

100 - 240 VAC universal input, 4 & 6 slot modular DC output, 600W, 1000W, 1800W max.
All options: ITE, medical, low-leakage, aux output

Issued: August 13, 2020

REACH: Registration, Evaluation, Authorization and Restriction of Chemicals
Regulation (EC) No. 1907/2006

REACH is the European Union's chemical substances regulatory framework.

Excelsys, an Advanced Energy company, does not produce chemical substances or mixtures but does manufacture electrical and electronic equipment that might contain REACH substances in component parts of the final product.

Article 33 of REACH requires manufacturers to inform customers of Substances of Very High Concern (SVHCs) when contained in component parts of their product at concentrations above 0.1% by weight. SVHCs are listed in the Authorization Candidate list of Annex XIV. Sufficient SVHC information must be provided to the customer to allow for safe use.

Article 67 of REACH describes restricted substances that manufacturers are limited or banned from being placed on the market, as detailed in the Restricted Substances List in Annex XVII.

Based on information from component part manufacturers, suppliers, third-party databases, and review of each individual component part within this product, Excelsys, an Advanced Energy company discloses the following:


Article 67 Disclosure:

Products listed **DO NOT** contain any Restricted Substances per Article 67, as listed in Annex XVII.

Article 33 Disclosure:

Products listed **contain** at least one SVHC in Candidate List of Annex XIV above concentration of 0.1%:

SVHC Name	CAS Number	Location & Safe Use
Lead	7439-92-1	SVHCs listed are in various electronic components of this product and DO NOT present hazards to humans or the environment under normal handling and use. Do not cut open or crush components.
Lead Monoxide (Lead Oxide)	1317-36-8	
4,4'-isopropylidenediphenol (BPA, Bisphenol A)	80-05-7	

REACH review of product conducted under the following conditions:	European Chemicals Agency (ECHA) SVHC candidate list:	June 25, 2020 publication date:	209 SVHCs
Authorized by:	Type of product manufactured, per REACH definition:	Complex article assembled from many component articles, electrical & electronic equipment	
 J.D. Johnson Environmental Compliance Manager	Subject to REACH Article 7, ECHA registration ?:	No, substances in articles < 1 tonne per year No, substances not intended to be released	
	SVHC concentration of > 0.1%, calculation method:	SVHC weight divided by weight of part containing SVHC, per European Court of Justice ruling	

Manufactured by Excelsys Technologies Ltd., an Advanced Energy Company
27 Eastgate Business Park | Little Island, Cork | Ireland | +353.0.21.4354716

Doc No: 41017
rev. 03

Advanced Energy Industries, Inc.

1625 Sharp Point Drive | Fort Collins, CO 80525 | USA | +1 970 221 4670 | advanced-energy.com

Page 1 of 3

Product Declared Compliant: CoolX Series Power Supplies

CoolX configured power supply part numbering system:

Part Number = CXabc-uvwxyz-defgh CX = all CoolX part numbers start with 'CX'

ab = 06, 10, 18

CoolPac cabinet with AC input, slots for CoolMods:

06 = 600W output - with 4 slots, no cooling fan

10 = 1000W output - with 6 slots, no cooling fan

18 = 1800W output - with 6 slots, variable speed fan

c = S or M

S = ITE/Industrial product

M = Medical product

u, v, w, x, y, z =
0, #, or A - Z

CoolMod plug-in DC output modules starting with Cm:

0 = Unpopulated slot

= Unavailable slot (due to multi-slot module in neighboring slot)

A = CmA

E = CmE

B = CmB

F = CmF

C = CmC

G = CmG

D = CmD

H = CmH

d = N, C, S, P, or X

N = Standard model (Unconfigured)

C = Conformal Coating

S = Ruggedised, including conformal coating

P = Configured

X = Internal use only

e = '-', 0 - 9 or A - Z

'-' = Screw Terminal (Standard), normal leakage

1 = IEC Terminal

2 = Screw Terminal, Reverse Fan

3 = IEC Terminal, Reverse Fan

4 = Screw Terminal, Low Leakage

5 = IEC Terminal, Low Leakage

6 = Screw Terminal, Low Leakage, Reverse Fan

7 = IEC Terminal, Low Leakage, Reverse Fan

A - Z = Other connector options (cables etc.)

f = A or B

A = 12V Aux output (standard)

B = 5V Aux output

